PTO/SB/08B (04-03) Approved for use through 04/30/2003. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons ar

Substitute for form 1449/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Page of

a leden en an les borro ma consecution	THOMBROID GROSS & COMPANY OF ASSOCIATION OF					
Complete if Known						
Application Number	10/069,431					
Filing Date	August 18, 2000					
First Named Inventor	David M. Hockenberry et al.					
Art Unit	Unassigned					
Examiner Name	Unassigned					
Attorney Docket Number	14538A-004610US					

U.S. PATENT DOCUMENTS														
Examiner	Cite No.1	Document Number Number Kind Code ² (if known)	Publication D: MM-DD-YYY			iame of Patentee or Pages, Column cant of Cited Document Relevant Pass		Pages, Columns, Line Relevant Passages of Figures Appe	es or Relevant					
			<u>L</u>											
			FOREIGN PA	TENT I	DOCUME	NTS								
Examiner	Cite	Foreign Patent Doc	ument	Publication Date				Name of Pa		Name of Patente	e or	Pages, Columns, I Where Releva		
Initials*	No.1	Number ^a				Applicant of Cite		Passages or Rele		│ ┲				
		Country Code	Kind Code ^s (if known)			Document		Figures Appea	r	1				
240	BY	JP 5-155877			2/03					<u> </u>				
1	BZ	JP 7-196489			1/95									
	CA	WO 99/40081			2/99									
٨	СВ	EP 1 054 01			22/00	,				ᆛ				
9H2	СС	WO 01/05769		1/2	5/01			·		H				
<u>'</u>										-H				
		<u> </u>								井				
					1		l							
	* .	NON	PATENT LIT	ERATL	IRE DOC	UMENTS								
Examiner Initials *							. 2							
Ao	CD	Tokuatke et al., "Inhibition Of Electron Transport Of Rat-Liver Mitochondria By Synthesized Antimycin A Analog," Biochimica et Biophysica Acta 1142:262-268 (1993)												
A	CD	Tzung et al., "Antimycin A Mimics A BH3 Domain-Containing Peptide And Selectively Induces Apoptosis In Cell Lines Overexpressing Bc1-x13," Proc. Accr-NCI EORTC International Conference, Molecular Targets And Cancer Therapeutics 38155-38165 (1999)												
								 						
			···			· · · · · · · · · · · · · · · · · · ·								
		·												

Examiner Signature	12 men	Date Considered	4/2	o/ms

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance

and not considered. Include copy of this form with next communication to applicant.

Applicant's unique citation designation number (optional). Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.



	FORM P	ГО-1449	(Modified)		Attorney Docket No.: 14538A-004610US Application No.: 10/069,431					
			TS AND PUBLI		Applicant: David M. Hockenberry et al.					
			NFORMATION Ise several sheets		Filing Date: Aug. 18, 2000	Group: Unassigned				
	Reference	Design	ation	τ	I.S. PATENT DOCUMENTS Page					
	Examiner Initial		Document No.	Date	Name	Class	Sub-class	Filing Date (If Appropriate)		
	Ar	AA.	US 5,641,866	06-24-97	Reed et al.					
		AB.	US 5,643,727	07-01-97	Reed et al.					
		AC.	US 5,659,024	08-19-97	Reed et al.					
		AD.	US 5,686,595	11-11-97	Reed et al.		-			
		AE.	US 5,702,897	12-30-97	Reed et al.		—			
		AF.	US 5,734,033	03-31-98	Reed	·	_			
)		AG.	US 5,744,310	04-28-98	Reed		-			
		AH.	US 5,994,564	11-30-99	Van Sickle					
sus	Av	AI.	US 5,998,583	12-07-99	Korsmeyer					
2	/ ·									
/			<u> </u>	FOR	REIGN PATENT DOCUME	ENTS				
1			Document No.	Date	Country	Class	Sub-class	Translation (Yes/No)		
7										
		•	OT	HER ART (Incl	uding Author, Title, Date, P	ertinent Pages, I	Etc.)			
	Ao	AJ.	Bernardi et al., "The permeability transition pore. Control points of a cyclosporine A-sensitive mitochondrial channel involved in cell death," Biochim. Biophys. Acta 1275:5-9 (1996)							
ź		AK.	Charlotte et al., "Immunohistochemical detection of bcl-2 protein in normal and pathological human liver," Am. J. Pathol. 144:460-65 (1994)							
2	1	AL.	Cheng et al., "Conversion of Bcl-2 to a Bax-like death effector by caspases," Science 278:1966-68 (1997)							
13		AM.	Chittenden et al., "A conserved domain in Bak, distinct from BH1 and BH2, mediates cell death and protein binding functions," EMBO J. 14:5589-96 (1995)							
		AN.	Clem et al., "Modulation of cell death by Bcl-X _L through caspase interaction," Proc. Natl. Acad. Sci. USA 95:554-59 (1998)							
4		AO.	Cosulich et al., "Regulation of apoptosis by BH3 domains in a cell-free system," Curr Biol. 7:913-20 (1997)							
AP. Cosulich et al., "Bcl-2 regulates amplification of caspase activation by cytochrom							me c," Curr Biol.	9:147-50 (1999)		
	AQ. Decaudin et al., "Bcl-2 and Bcl-X _L antagonize the mitochondrial dysfunction preceding nuclear by chemotherapeutic agents," Cancer Res. 57:62-67 (1997)							poptosis induced		
	-	AR.				crossing the threshold," Cell 78:539-42 (1994)				
		AS.			les antagonize Bcl-X _L functiones," J Biol. Chem. 274:13298-		tosis through cyto	chrome c-		
	1	AT.	Hu et al., "Bcl-X _L interacts with Apaf-1 and inhibits Apaf-1-dependent caspase-9 activation," Proc. Natl. Acad. Sci. USA 95:4386-91 (1998)							
	Au	tant mechanism,".	J. Exp. Med.							

FÖR	M PT	O-1449	(Modified)	Attorney Docket No.: 14538A-0046	Application No.: 10/069,431					
APPLICANT'S INFORMATION DISCLOSURE				Applicant: David M. Hockenberry et al.						
				Filing Date: Aug. 18, 2000	Group: Unassigned					
7	0	AN	Hunter et al., "A peptide sequence 271:8521-24 (1996)	e from Bax that converts Bcl-2 into an activato	or of apoptosis," J. Biol. Chem.					
MARIA	/ L			teins: the role of the BH3 domain in apoptosis,	' Trends Cell Biol. 8:324-30 (1998					
	* .		Kluck et al., "The release of cyto Science 275:1132-36 (1997)	chrome c from mitochondria: a primary site for	r Bcl-2 regulation of apoptosis,"					
- COME	00035	AY.		ontrol of apoptosis," Immunol. Today 18:44-51	(1997)					
		AZ.	Kroemer, "The proto-oncogene Bcl-2 and its role in regulating apoptosis," Nature Med. 3:614-20 (1997)							
		BA.	Liu et al., "Induction of apoptotic program in cell-free extracts: requirement for dATP and cytochrome c," Cell 86:147-57 (1996)							
		BB.	Memon et al., "Bcl-2 blocks glucocorticoid- but not Fas- or activation-induced apoptosis in a T cell hybridoma," Immunol. 155:4644-52 (1995)							
		BC.	Minn et al., "Expression of Bcl-x	s, can confer a multidrug resistance phenotype,	" <i>Blood</i> 86:1903-10 (1995)					
		BD.	Miyoshi et al., "A model of antimycin A binding based on structure-activity studies of synthetic antimycin A analogues," Biochim. Biophys. Acta 1229:149-54 (1995)							
		BE.	Muchmore et al., "X-ray and NM 381:335-41 (1996)	IR structure of human Bcl-X _L an inhibitor of p	rogrammed cell death," Nature					
		BF.	Newmeyer et al., "Cell-free apoptosis in Xenopus egg extracts: inhibition by Bcl-2 and requirement for an organelle fraction enriched in mitochondria," Cell 79:353-64 (1994)							
		BG.	Pan et al., "Caspase-9, Bcl-X _L , and Apaf-1 form a ternary complex," J Biol. Chem. 273:5841-5 (1998)							
		вн.	Petit et al., "Mitochondria and programmed cell death: back to the future," FEBS Letters 396:7-13 (1996)							
		BI.	Rieske, "Inhibitors of respiration at energy-coupling site 2 of the respiratory chain," <i>Pharm Ther.</i> 11:415-50 (1980)							
		BJ.	Sattler et al., "Sructure of Bcl-x _L -Bak peptide complex: recognition between regulators of apoptosis," Science 275:983-86 (1997)							
		BK.	Shimano et al., "Total synthesis of the antifungal dilactones UK-2A and UK-3A: the determination of their relat and absolute configurations, analog synthesis and antifungal activities," <i>Tetrahedron</i> 54:12745-74 (1998)							
		BL.	Susin et al., "Bcl-2 inhibits the mitochondrial release of an apoptogenic protease," J. Exp. Med. 184:1331-41 (1996)							
		BM.		oner of apoptosis: multiple connections betwee 25- and ceramide-induced apoptosis," J. Exp. Mo						
		BN.	Tokutake et al., "Inhibition of electron transport of rat-liver mitochondria by synthesized antimycin A analogs," Biochim. Biophys. Acta 1142:262-68 (1993)							
		BO.	Tokutake et al., "Structural factors of antimycin A molecule required for inhibitor action," Biochim. Biophys. Act 1185:271-78 (1994)							
		BP.	Tzung et al., "Expression of Bcl-2 family during liver regeneration and identification of Bcl-x as a delayed early response gene," Am. J. Pathol. 150:1985-95 (1997)							
		BQ.		try of antimycin A. X. Structure of the Antimy	cins," J. Am. Chem. Soc. 83:1639					
		BR.	Wu et al., "Establishment and ch	characterization of differentiated, nontransformed hepatocyte cell lines derived ng growth factor α," <i>Proc. Natl. Acad. Sci. USA</i> 91:674-78 (1994)						
		BS.	Wu et al., "Autonomous growth	in serum-free medium and production of hepate at overexpress transforming growth factor α,"	ocellular carcinomas by					
٨		BT.	Xia et al., "Electrical stimulation	of neonatal cardiomyocytes results in the sequation and differentiation," Proc. Natl. Acad. Sc	ential activation of nuclear genes					
A	6	BU.	Zamzami et al., "Sequential redu	action of mitochondrial transmemberane potenti med cell death," J. Exp. Med. 182:367-77 (199:	ial and generation of reactive					

	FORM P	ΓΟ-1449	(Modified)	Attorney Docket No.: 14538A-00461	Application No.: 10/069,431			
			TS AND PUBLICATIONS FOR NFORMATION DISCLOSURE	Applicant: David M. Hockenberry et al.				
			se several sheets if necessary)	Filing Date: Aug. 18, 2000	Group: Unassigned			
1	A	B /	Zamzami et al., "Inhibitors of per transmembrane potential during a	rmeability transition interfere with the disruption apoptosis," FEBS Letters 384:53-57 (1996)	n of the mitochondrial			
	MARA & 200 VE Zamzami et al., "Mitochondrial control of nuclear apoptosis," J. Exp. Med. 183:1533-44 (1996)							
2	An	BX.		permeability transition," Biochim. Biophys. Ac				
7	ADI-MAN							
					······································			
		 						
		-						
		-						
		 						
ı								
		 						
		 						
			•					
								
	<u> </u>							
		<u> </u>						
		†						
	-			/	/			
-	EXAMIN	TER //		DATE CONSIDERED 12/	/ a :—			

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.